



Plastics Engineering | **SYSTEM BEKAPLAST™**

Mechanically anchored thermoplastic lining for extreme conditions



System BEKAPLAST™ – Mechanically anchored lining systems to meet the highest requirements


BEKAPLAST™ system

The ideal combination of stability, safety and resistance

The exceptional feature of the BEKAPLASTTM System is the anchor technique at the back of the sheet, with special studs increasing in size in a conical shape. They create an inseparable mechanical bond between the plastic lining and the concrete, and additionally prevent differential expansion.

BEKAPLASTTM can be repaired repeatedly, ensures high impact durability, and is resistant even to biogenic corrosion, high and low temperatures and thermal shock.

BEKAPLASTTM has been successful on the market for over 30 years. From problem solutions in the chemical industry and municipal sewage systems, to installation and repair of tank and shaft linings, through to tank construction – potential BEKAPLASTTM applications are as diverse as today's demands on modern, future oriented lining technology.



STEULER-KCH

BEKAPLAST™ 22



BEKAPLAST™ S


The BEKAPLAST™ standard system is a mechanically anchored single-wall thermoplastic lining.


BEKAPLAST™ DWS

More stringent environmental laws have required the lining of reinforced concrete structures for the storage of water-polluting liquids to be permanently controllable for leakage. The construction of the BEKAPLASTIM DWS System, a thicker primary thermoplastic sheet with a secondary thermoplastic sheet welded behind to form a double sheet, safely complies with legislative requirements.

BEKAPLAST™ LS with Leak Detection

Iln many applications control and repair of underground concrete structures is a requirement, and is addressed by the BEKAPLASTTM LS System. It essentially corresponds to the BEKAPLASTTM DWS double- wall system, but the concretefacing second wall is not welded. The gap between the BEKAPLASTTM walls serves as a control space.





3 STEULER-KCH



Innovative yet still technically perfected for new construction or renovation

System orientation combined with utmost versatility – the basis for BEKAPLASTTM success. Our references demonstrate the diversity of applications – every project implemented is further proof of the quality of this innovative system solution.

BEKAPLAST™ for storage tanks

Tanks in the chemical industry and municipal sewage installations must meet various requirements, not always precisely defined in advance. Outdoor plants are also subject to weather conditions, such as sun and frost.



BEKAPLAST™ for Basins and Collection Tanks approved by the German Institute for Building Technology

The BEKAPLASTTM HDPE System has been certified for sealing collection tanks and/or basins for the storage of water-polluting liquids in accordance with § 19 h of the Water Resources Law. This system also offers tailor-made solutions for pump sumps, pipe joints, channel constructions etc.




STEULER-KCH

BEKAPLAST™ 42



Bekaplast ™ DWS for water tanks

In general, leachate water is classified as a water-polluting liquid. In accordance with the Water Resources Law, appropriate sealing systems must be used in the construction of underground concrete tanks.




Shaft constructions, e.g. inspection chambers at disposal sites or in mixed water collecting sections, are often subject to conditions that cannot be defined precisely in advance, such as biogenic corrosion and aggressive fumes. System-specific steps in compliance with DIN requirements complement the lining technology.

BEKAPLAST™ for electrolysis cells

Electrolytic cells for the recovery of zinc, copper or cobalt are exposed to specific chemical, thermal and electrical conditions. In the case of normal sheeting, high temperatures and damage caused by anodes and cathodes striking and falling often cause plant repair and downtime. The mechanically highly durable BEKAPLASTTM thermoplastic lining guarantees a high level of plant operability.







5 STEULER-KCH



Tried and trusted lining technology for concrete structures

BEKAPLAST™ HDPE

This polyethylene material is resistant to a wide range of acid and alkaline solutions. BEKAPLASTTM HDPE can be supplied as an electrically conductible material and is environmentally safe.

BEKAPLAST™ PP

This material is a highly heat-stabilised polypropylene in accordance with DIN 16971. One of the remarkable features of this material is its resistance to aqueous saline solutions, alkalis and acids. BEKAPLASTTM PP is temperature-resistant up to a permanent temperature of nearly 90° C.

BEKAPLAST™ PVDF

The highly resistant, permeation barrier polyvinylidene fluoride is used particularly in cases involving chlorinated hydrocarbon chemical stress.

BEKAPLAST™ PVC

The high impact durable material also offers extreme chemical resistance and a high level of stiffness.



Above picture: BEKAPLAST $^{\text{TM}}$ collection tank and Bekaplast $^{\text{TM}}$ gutter with edge lining in a manufacturing facility.




Above picture: A hydrochloric acid pickling plant is renovated using a prefabricated Bekaplast™ immersion tank accommodating contents of over 100 m³thereby saving lots of time.

STEULER-KCH

BEKAPLAST™ 62







Above picture: Relining of sewer pipes using ready-made Bekaplast pipes.

BEKAPLASTTM for new construction or re-lining of sewage systems – a good example for the versatility of the design. If sewer pipes are intended for open or propulsion installation, the prefabricated BEKAPLASTTM pipes can be cast during the reinforced concrete pipe manufacturing phase.

In case of re-lining projects, BEKAPLASTTM pipes or BEKAPLASTTM sheets are placed in the sewer to be relined and attached to a shuttering inside. The gap between concrete pipe and inner lining is then filled with a fluid, fast-setting special mortar. The radial joints are sealed by welding. BEKAPLASTTM provides a highly resistant and, due to the anti-adhesive surface, very smooth inner lining.

7 STEULER-KCH

EULER



Together with its international subsidiaries and representatives, STEULER-KCH offers its customers a worldwide network which develops and implements comprehensive system solutions.

Spain

Italy

Mexico

China

Australia

Austria

France

Jordan

Morocco

Sweden

Poland

New Caledonia

Spain

Branch Saudi Arabia

Spain

systems Cements, jointing materials, brick and rubber linings

PLASTICS ENGINEERING

Equipment, piping and tanks made of duroplastics and thermoplastics Thermoplastic lining systems

REFRACTORY SYSTEMS

High temperature refractory linings

POOL CONSTRUCTION

STEULER-Q7-System





site

Berggarten 1

56427 Siershahn | GERMANY Phone: +49 2623 600-0 +49 2623 600-513

E-Mail: info@steuler-kch.de

www.steuler-kch.de

