

MINING JACK STANDS

MXM-40-120

Manual jack stand

MXA-75-100

Pneumatic jack stand



MAMMUT

TRUE SAFETY FULL POWER



INDEX

Page



MXM-40-120
manual jack stand

3



MXA-75-100
pneumatic jack stand

6



A066229/A066230
trolleys

9





MXM-40-120 |

UP TO
40t

Manual jack stand




LIGHT, POWERFUL AND EASILY ADJUSTABLE

This MAMMUT jack stand is perfect to sustain up to 40 metric tons after the lifting operation. It allows to work safely and efficiently. The jack stand can be easily adjusted without air or electric power in six height positions.



MXM-40-120



TECHNICAL DATA

Capacity	40 t 44 ton
Net weight	50 Kg 110 lb
Min. height	700 mm 27,5"
Max. height	1200 mm 47,2"
Positions	6
Air requirement	None

MAMMUT

A	B	C	D	E	F
1200 mm	1100 mm	1000 mm	900 mm	800 mm	700 mm
47,2"	43,3"	39,3"	35,4"	31,4"	27,5"



EASY TRANSPORT TROLLEY AVAILABLE AS OPTIONAL

Cod: A066229

To make it even easier to move our jack stand, we created an extremely light and compact trolley. Its design makes it suitable for working in any condition, even the most extreme. Find out more details from page 9.





MXA-75-100 | UP TO 75t

Pneumatic jack stand




**LIGHT, POWERFUL,
PNEUMATIC ASSISTED OPERATION
WITH MINIMAL EFFORT**

This MAMMUT jack stand can sustain up to 75 metric tons of weight. The pneumatic adjustment of the jack stand height is fast and extremely efficient. Compressed air (4-12 bar range) is required.



MXA-75-100



TECHNICAL DATA

Capacity	75 t 82 ton
Net weight	115 Kg 253 lb
Min. height	600 mm 23,6"
Max. height	1000 mm 39,3"
Positions	6
Air requirement	4-12 bar 58-174 psi

MAMMUT

øA	B	C	D	E	F	G
120 mm	1000 mm	900 mm	800 mm	700 mm	600 mm	721 mm
47,2"	39,3"	35,4"	31,4"	27,5"	23,6"	28,3"



EASY TRANSPORT TROLLEY AVAILABLE AS OPTIONAL

Cod: A066230


To make it even easier to move our jack stand, we created an extremely light and compact trolley. Its design makes it suitable for working in any condition, even the most extreme. Find out more details from page 9.



A066229 - A066230



Mining jack stand **moving trolleys**



	A	B	C	D	E	F	G	weight
A06629	691 mm	1158 mm	1662 mm	283 mm	842 mm	1496 mm	418 mm	22,9 kg
	27,2"	45,5"	65,4"	11,1"	33,1"	58,8"	16,4"	50,4 lb
A06630	635 mm	1204 mm	1631 mm	142 mm	697 mm	1405 mm	418 mm	21,8 kg
	25"	47,4"	64,2"	5,5"	27,4"	55,3"	16,4"	48 lb



THE LIGHTEST, MORE AGILE AND COMPACT JACK STANDS TROLLEYS ON THE MARKET

Optional trolley, allows a single operator to quickly move the jack stand as needed. Provided with pneumatic wheels, suitable for uneven ground. The handle is adjustable in three positions in order to pick and move the jack stand at different height regulations.



A06629
trolley for MXM-40-120





A06630
trolley for MXA-75-100.

MAMMUT

T R U E S A F E T Y F U L L P O W E R

Cattini
OLEOPNEUMATICA

VIA G. VERDI, 41
42049 GATTATICO (Reggio Emilia) - ITALY
PH. +39 0522 909750 - FAX +39 0522 909875
www.mammutjacks.com
info@cattini.eu

 **Cattini Oleopneumatica Srl**
 **@cattinioleopneumatica**



Certificato No. 112560A

member of

